



# Icronshop.com

An Icron Authorized Distributor



## ICRON USB 3-2-1 RAVEN™ PRODUCT LITERATURE





## ICRON USB 3-2-1 RAVEN™ PRODUCT COMPARISON

The Icron USB 3-2-1 Raven extenders are the world's first USB 3 extension solution with ExtremeUSB-C™ technology extending all USB 3.2, 2.0 and 1.1 devices simultaneously up to 100 meters over CAT 6a/7 and 200 meters over Multimode Fiber.

	USB 3-2-1 RAVEN 3104	USB 3-2-1 RAVEN 3104 PRO	USB 3-2-1 RAVEN 3124
USB 3-2-1 Extension up to 200m over Multimode Fiber	x	x	✓
USB 3-2-1 Extension up to 100m over Cat 6a/7 Cable	✓	✓	x
Four 5V 1.2A (6W) Downstream USB Ports	✓	✓	✓
ExtremeUSB-C™ Suite of Features	✓	✓	✓
FCC /CE Class B	✓	✓	✓
Maximum Number of Downstream Devices	30	30	30
100 BaseT Ethernet Side Channel	✓	✓	✓
1000BaseT Ethernet Side Channel	✓	✓	x
Enhanced Support for USB Camera, Video, and Video Capture Devices	x	✓	x
Support for Google Hangouts Meet	x	✓	x
Support for Isochronous USB 3 Transactions	x	✓	x


CABLE CODE	USB 3-2-1 Raven 3104	USB 3-2-1 Raven 3104 Pro	USB 3-2-1 Raven 3124
North American PLUG	00-00421	00-00451	00-00437
European PLUG	00-00422	00-00452	00-00438
United Kingdom PLUG	00-00423	00-00453	00-00439
Australian PLUG	00-00424	00-00454	00-00440
Japanese PLUG	00-00425	00-00455	00-00441

## 4-PORT USB 3-2-1 EXTENDER SYSTEM

Web conferencing helps companies achieve success by allowing video sessions with anyone, anywhere, anytime. Integrators are often frustrated by installation challenges within the huddle/conference room where standard USB cables are not long enough and/or USB 3 extenders have been unreliable. Finally, with the availability of Icron's USB 3-2-1 Raven™ Series, there are web conferencing extension solutions that actually work.

Raven extends USB 3.1 web conferencing systems and other USB peripherals simultaneously up to 100 meters over CAT 6a/7 cable (3104) or up to 200 meters over OM3 fiber (3124).

For enhanced experiences, including higher resolution and support for ISO transport devices and modes, the Raven 3104 Pro is recommended. **Raven has been successfully tested with many major USB 3.1 conference cameras in conjunction with web conferencing applications such as BlueJeans, Cisco WebEx, Google Hangouts, Skype for Business, Microsoft Teams, and Zoom.**



The following companies have tested and validated their USB 3 conference camera solutions to work seamlessly with Raven.

### CAMERA SOLUTIONS

	Aver	Logitech	Lumen	Angeki	ClearOne	Huddle CamH	PTZOptic	Telycam	Vaddi	VDO360
Raven 3104	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
Raven 3104 Pro	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Raven 3124 Fiber	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓

### CONFERENCING APPLICATIONS

	BlueJeans	Cisco WebEx	Google Hangouts	Skype for Business	Microsoft Teams	Zoom
Raven 3104	✓	✓	✗	✓	✓	✓
Raven 3104 Pro	✓	✓	✓	✓	✓	✓
Raven 3124 Fiber	✓	✓	✗	✓	✓	✓

If you need any further information regarding trade pricing, stock availability, compatibility, or any other general inquiries please contact [sales@icronshop.com](mailto:sales@icronshop.com) or use the contact us form by clicking here.



Worldwide shipping



Extensive stock



Same-day order dispatch



Secure payment options

## ICRON PRODUCT FAQs

### WHAT IS EXTREMEUSB®?

Backed by over 20 years development, ExtremeUSB is a patented solution that enables users to overcome the standard distance limitation on extending USB. ExtremeUSB is a plug and play solution, requiring no additional drivers and is compatible with most operating systems.

### DO I NEED TO BUY LOCAL (LEX) AND REMOTE (REX) UNITS SEPARATELY?

No, both the Lex and Rex units are included in the Raven 3104, Raven 3104 PRO and Icron Raven 3124.

### WHAT ARE MOUNTING OPTIONS FOR THE RAVEN PRODUCTS?

You can purchase mounting kits separately for your Raven products.

Part number: 10-00620 (Distance between the enclosure mounting holes:42.0mm x 205.5mm)

### WHAT IS THE WARRANTY PERIOD ON ICRON RAVEN PRODUCTS?

Icron Raven products benefit from 2-Year manufacturing warranty.

### MAXIMUM NUMBER OF DEVICES AND/OR HUBS SUPPORTED BY THE RAVEN PRODUCTS?

Up to 30 devices can be supported.

### WHAT IS THE AVAILABLE CURRENT AT THE REX UNIT?

1.2A (6W) per USB port.

### DOES ICRON RAVEN PRODUCTS SUPPORT USB TYPE C?

Yes, Raven products support USB type C but the available connectors are USB Type A port. You can simply use inexpensive "USB type C to A converters" with the Raven items.

### WHAT ARE THE CABLING REQUIREMENTS FOR THE ICRON RAVEN SERIES?

3104/3104 Pro

The minimum category cabling to be used to reach maximum distance of 100m (328ft) of extension is category 6a, this distance will include the patch cable. For best performance use Shielded or Foiled CAT 6a/7 cable.

3124

The required cabling to reach maximum distance of 200m (656ft) is OM3 Multimode Fiber with Duplex LC connector.

### WHAT IS THE LAN PORT ON THE RAVEN PRODUCTS?

The LAN port is 100/1000Mbps Ethernet pass through connection that can be used for a variety of purposes, including connecting network devices or providing remote network access to the same location as the REX unit.

